QUICKIE®

Power Portfolio

Live Without Limits

The Quickie QM-7 series offers a high-performing, reliable, and stylish mid-wheel drive power solution for a client who qualifies for a Group 3 Standard (QM-710), Group 3 Heavy Duty (QM-715 HD) or Group 4 High Speed (QM-720) power mobility base.

QUICKIE® QM-7 Series

Available in Eight Group 3 and Group 4 Models:

GROUP 3: Standard Wt. Cap.

- Quickie QM-710 BC:
  No Power Option Base with ASAP II Rehab Seat
- Quickie QM-710 SC:
  Single Power Option Tilt (SPOT) or Recline Base with ASAP II or Recline Rehab Seat
- Quickie QM-710 MPC:
  Multiple Power Option Base (SPOT Tilt and Recline) with Recline Rehab Seat

GROUP 3: Heavy Duty

- Quickie QM-715 HD BC:
  No Power Option Base with ASAP II Rehab Seat
- Quickie QM-715 HD SC:
  Single Power Option Tilt (SPOT) with ASAP II Rehab Seat

GROUP 4: High Activity

- Quickie QM-720 BD:
  No Power Option Base with ASAP II Rehab Seat
- Quickie QM-720 SD:
  Single Power Option Tilt (SPOT) or Recline Base with ASAP II or Recline Rehab Seat
- Quickie QM-720 MPD:
  Multiple Power Option Base (SPOT Tilt and Recline) with Recline Rehab Seat

Power Base Perfomance

- Intuitive mid-wheel drive handling
- Linix 4-pole standard motor package for all models
- Contoured, sleek base style available with 7 shroud color options: High Gloss Black, Candy Apple Red, Candy Blue, Copper, Silver, Digital Camo and Woodland Camo
- SpiderTrac™ Suspension
  - Independent 6-wheel suspension for superior traction and handling across multiple terrains
  - Gas dampening system for smooth, stable transitions
  - 3" curb climbing capability
  - 22° transition angle helps prevent high centering on curb cuts

Seating Options

ASAP II Seat Frame

- In-field width, depth, armrest, legrest, and back height adjustability
- Wide range of seat sizes to accommodate pediatric users
- Manual reclining backrest for increased function and sitting tolerance
- Optional fold down backrest for easy transport
- Extensive seating and positioning options
- Fixed and articulating vent trays

Power Seating Options

- 50° of tilt to optimize positioning
- Power recline with power shear reduction
- 9" powered seat elevator
- Power centermount or swing-away elevating legrests with articulation

PG Drives Technology

VR2 Non-Expandable Controls

- Industry standard non-expandable electronics
- Dependable, highly flexible, and simple to use
- 4-way toggle switch for operation of tilt and power legrests without the need for expandable controls

R-net Expandable Controls

- 8 uniquely programmable profiles for easy transitions between environments
- Full specialty control capabilities
- Assignable buttons for convenient control of common functions
- Optional full color display
- Optional Omni display includes real-time consumer clock, IR functions, and add-on Bluetooth® Mouse Mover

Quickie QM-7 Series Specifications

SPECIFICATIONS	QM-710 BC	QM-710 SC	QM-710 MPC	QM-715 HD BC	QM-715 HD SC	QM-720 BD	QM-720 SD	QM-720 MPD
HCPCS Code	K0848	K0856	K0861	K0850	K0858	K0868	K0877	K0884
Drive Wheel Position	Mid	Mid	Mid	Mid	Mid	Mid	Mid	Mid
Speed	6.0 mph*	6.0 mph*	6.0 mph*	5.0 mph	5.0 mph	8.0 mph	8.0 mph	8.0 mph
Overall Weight	310 lbs.	350 lbs.	375 lbs.	310 lbs.	350 lbs.	310 lbs.	350 lbs.	375 lbs.
Overall Width	25"	25"	25"	25"	25"	25"	25"	25"
Overall Length	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests
User Weight Capacity	300 lbs.	300 lbs.	300 lbs.	400 lbs.	400 lbs.	300 lbs.	300 lbs.	300 lbs.
Seat Widths	12" to 22"	12" to 22"	16" to 22"	16" to 22"	16" to 22"	12" to 22"	12" to 22"	16" to 22"
Seat Depths	12" to 22"	12" to 22"	16" to 20"	16" to 22"	16" to 22"	12" to 22"	12" to 22"	16" to 20"
Front Seat To Floor Height	17.5" to 20.5"	18" to 21"	16.5" to 19.5"	17.5" to 20.5"	18" to 21"	17.5" to 20.5"	18" to 21"	16.5" to 19.5"
Seat Frame Options	ASAP II	ASAP II or Recline Seat	Recline Seat	ASAP II	ASAP II	ASAP II	ASAP II or Recline Seat	Recline Seat
Power Seating Options	N/A	Tilt or Recline	Tilt & Recline	No Power Options	Tilt	No Power Options	Tilt or Recline	Tilt & Recline

* Optional 5.0 mph and 8.0 mph motor packages also available

Live Without Limits

The Quickie Pulse is a compact, durable power wheelchair that offers a wide range of effective seatig and electronics options to meet the needs of Group 3 users.

QUICKIE® Pulse™

Available in Five Models:

- Quickie Pulse 5 BC (K0848): 5 MPH, 2-pole motor, No Power Option base with ASAP II Rehab Seat
- Quickie Pulse 6 BC (K0848): 6 MPH, 4-pole motor, No Power Option base with ASAP II Rehab Seat
- Quickie Pulse 5 CC (K0849): 5 MPH, 2-pole motor, No Power Option base with Captain's Seat
- Quickie Pulse 6 CC (K0849): 6 MPH, 4-pole motor, No Power Option base with Captain's Seat
- Quickie Pulse 6 SC (K0856): 6 MPH, 4-pole motor, Single Power Option Tilt (SPOT) with ASAP II Rehab Seat

Power Base Performance

- Mid-wheel drive
- Reliable and compact for indoor accessibility
- Flexible suspension system for optimal outdoor performance
- Linix 2- or 4-pole motors
- Sleek base style available with 3 shroud color options: High Gloss Black, Candy Apple Red or Candy Blue

Seating Options

Captain's Seat (CC)

- Seat size, legrest placement, and armrest width and height adjustability
- Convertible seat pan for flexibility in positioning solutions
- Sleek, comfortable style
- Semi-recline and fold-down backrest
- Mounting capabilities for O2, crutch or walker holders

ASAP II Rehab Seat (BC & SC)

- In-field width, depth, armrest, legrest, and back height adjustability
- Wide range of seat sizes to accommodate pediatric users
- Optional 50° Single Power Option Tilt (SPOT) on SC model
- Manual reclining backrest for increased function and sitting tolerance
- Fold down backrest for easy transport
- Extensive seating and positioning options

PG Drives Technology

VR2 Non-Expandable Controls

- Industry standard non-expandable electronics
- Dependable, highly flexible, and simple to use
- 4-way toggle switch for operation of tilt and power legrests without the need for expandable controls

R-net Expandable Controls

- 8 uniquely programmable profiles for easy transitions between environments
- Full specialty control capabilities
- Assignable buttons for convenient control of common functions
- Optional full color display
- Optional Omni display includes real-time consumer clock, IR functions, and add-on Bluetooth® Mouse Mover

Quickie Pulse Specifications

SPECIFICATIONS	PULSE 5 BC	PULSE 6 BC	PULSE 5 CC	PULSE 6 CC	PULSE 6 SC
Drive Wheel Position	Mid	Mid	Mid	Mid	Mid
HCPCS Code	K0848	K0848	K0849	K0849	K0856
Speed	5.0 MPH	6.0 MPH	5.0 MPH	6.0 MPH	6.0 MPH
Overall Weight	235 lbs.	235 lbs.	250 lbs.	250 lbs.	260 lbs.
Overall Width	24"	24"	24"	24"	24"
Overall Length	34"	34"	34"	34"	34"
User Weight Capacity	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.
Seat Widths	12" to 22"	12" to 22"	16", 18", 20"	16", 18", 20"	12" to 22"
Seat Depths	12" to 22"	12" to 22"	14" to 22"	14" to 22"	12" to 22"
Front Seat To Floor Height	16.5" to 19.5"	16.5" to 19.5"	17" to 19"	17" to 19"	17.5" to 21.5"
Seating Frame Options	ASAP II Rehab Seat	ASAP II Rehab Seat	Captain's Seat	Captain's Seat	ASAP II Rehab Seat
Power Seating Options	No Power Options	No Power Options	No Power Options	No Power Options	Tilt

Live Without Limits

The Quickie S-636 features innovative, Group 3 performance and versatile seating and positioning options to accommodate both general and specialized rehabilitation needs.

QUICKIE® S-636

Available in Three Group 3 Models:

- Quickie S-636 BC: No Power Option S-636 base with Rehab seat
- Quickie S-636 SC: Single Power Option (tilt or recline) S-636 base with Rehab or Recline seat
- Quickie S-636 MPC: Multi Power Option (tilt and recline) S-636 base with Rehab Recline seat

Power Base Perfomance

- Linix 6.5 mph, 4-pole standard motor package for all models
- Short wheel base for excellent maneuverability
- Adjustable dampening, independent wheel suspension that provides a smooth ride even over obstacles
- Optional LED light package includes headlights, blinkers and tail light for safety
- Painted frame available in 20 different color options

Seating Options

Seat Frame

- TRAX System allows for easy adjustments along a dovetail track on seat and back
- Extensive seating and positioning options
- Articulating vent tray

Power Seating Options

- 53° of CG tilt to optimize positioning
- Power recline with power shear reduction
- Power elevating legrests with articulation

PG Drives Technology

VR2 Non-Expandable Controls

- Industry standard non-expandable electronics
- Dependable, highly flexible, and simple to use

R-net Expandable Controls

- 8 uniquely programmable profiles for easy transitions between environments
- Full specialty control capabilities
- Assignable buttons for convenient control of common functions
- Optional full color display
- Optional Omni display includes real-time consumer clock, IR functions, and add-on Bluetooth® Mouse Mover

Quickie S-636 Specifications

SPECIFICATIONS	S-636 BC	S-636 SC	S-636 MPC
HCPCS Code	Not Available	K0856	K0861
Drive Wheel Position	RWD	RWD	RWD
Speed	6.5 MPH*	6.5 MPH*	6.5 MPH**
Overall Weight	128 lbs. w/o batteries	128 lbs. w/o batteries	128 lbs. w/o batteries
Overall Width	27.75"	27.75"	27.75"
Overall Length	33.5"	33.5"	33.5"
User Weight Capacity	300 lbs.	300 lbs.	300 lbs.
Seat Widths	14" to 24"	14" to 24"	14" to 24"
Seat Depths	14" to 22"	14" to 22"	14" to 22"
Front Seat To Floor Height	18.5" to 20.5"	18.5" to 20.5"	18.5" to 20.5"
Seating Frame Options	Rehab	Rehab or Rehab Recline	Rehab Recline
Power Seating Options	N/A	Til or Recline	Tilt and Recline

* Optional 5 mph and 8.5 mph motor packages also available
** Optional 8.5 mph motor package also available

Live Without Limits

The Quickie S-646 SE features innovative, Group 4 performance and versatile seating and positioning options to accommodate both general and specialized rehabilitation needs.

QUICKIE® S-646 SE

Available in Three Group 4 Models:

- Quickie S-646 SE BD: No Power Option S-646 SE base with Rehab Seat
- Quickie S-646 SE SD: Single Power Option (tilt or recline) S-646 SE base with Rehab or Recline seat
- Quickie S-646 SE MPD: Multi Power Option (tilt and recline) S-646 SE base with Rehab Recline seat

Power Base Perfomance

- Linix 8.5 mph, 4-pole standard motor package for all models
- Adjustable dampening, independent wheel suspension provides a smooth ride even over obstacles
- PosiDrive™ technology increases the overall strength of the drive train and features easy-to-service hubs
- Soft roll casters
- Optional LED light package includes headlights, blinkers and tail light for safety
- Painted frame available in 20 different color options

Seating Options

Seat Frame

- TRAX System allows for easy adjustments along a dovetail track on seat and back
- Extensive seating and positioning options
- Articulating vent tray

Power Seating Options

- 53° of CG tilt to optimize positioning
- Power recline with power shear reduction
- Power elevating legrests with articulation

PG Drives Technology

VR2 Non-Expandable Controls

- Industry standard non-expandable electronics
- Dependable, highly flexible, and simple to use

R-net Expandable Controls

- 8 uniquely programmable profiles for easy transitions between environments
- Full specialty control capabilities
- Assignable buttons for convenient control of common functions
- Optional full color display
- Optional Omni display includes real-time consumer clock, IR functions, and add-on Bluetooth® Mouse Mover

Quickie S-646 SE Specifications

SPECIFICATIONS	S-646 SE BD	S-646 SE SD	S-646 SE MPD
HCPCS Code	K0868	K0877	K0884
Drive Wheel Position	RWD	RWD	RWD
Speed	8.5 MPH	8.5 MPH	8.5 MPH
Overall Weight	128 lbs. w/o batteries	128 lbs. w/o batteries	128 lbs. w/o batteries
Overall Width	25.75"	25.75"	25.75"
Overall Length	33.5"	33.5"	33.5"
User Weight Capacity	300 lbs.	300 lbs.	300 lbs.
Seat Widths	14" to 24"	14" to 24"	14" to 24"
Seat Depths	14" to 22"	14" to 22"	14" to 22"
Front Seat To Floor Height	18" to 21"	18.5" to 20.5"	18.5" to 20.5"
Seating Frame Options	Rehab	Rehab or Rehab Recline	Rehab Recline
Power Seating Options	N/A	Tilt or Recline	Tilt and Recline

Live Without Limits

The powerful and compact Quickie P-222 SE is fast, simple, and extremely maneuverable indoors and out and features a quick-release power pack and optional manual conversion kit for convenience and transportability.

QUICKIE® P-222 SE

Available in Two Group 4 Models:

- Quickie P-222 SE BD: No power option P-222 SE base with Rehab seat
- Quickie P-222 SE SD: Single power option (tilt) P-222 SE base with Rehab seat

Power Base Perfomance

- Linix 8.5 mph, 4-pole standard motor package
- PosiDrive™ technology increases the overall strength of the drive train and features easy-to-service hubs
- 26" turning radius for excellent maneuverability
- 4" curb climb ability
- Optional LED light package includes headlights, blinkers and tail light for safety
- Painted frame available in 20 different color options

Power Seating Options

- Versatile rehab seat
- 53° of CG tilt to optimize positioning
- Optional manual wheelchair conversion kit for user self propulsion
- Simple seating and positioning options mix

PG Drives Technology

VR2 Non-Expandable Controls

- Industry standard non-expandable electronics
- Dependable, highly flexible, and simple to use
- 4-way toggle switch for operation of tilt and power legrests without the need for expandable controls

R-net Expandable Controls

- 8 uniquely programmable profiles for easy transitions between environments
- Full specialty control capabilities
- Assignable buttons for convenient control of common functions
- Optional full color display
- Optional Omni display includes real-time consumer clock and IR functions

Quickie P-222 SE Specifications

SPECIFICATIONS	P-222 SE BD	P-222 SE SD
HCPCS Code	K0868	K0877
Drive Wheel Position	RWD	RWD
Speed	8.5 MPH	8.5 MPH
Overall Weight	115 lbs. w/o batteries	115 lbs. w/o batteries
Overall Width	24.5"	24.5"
Overall Length	31.5" w/o footplates	31.5" w/o footplates
User Weight Capacity	350 lbs.	350 lbs.
Seat Widths	14" to 24"	14" to 24"
Seat Depths	14" to 20"	14" to 20"
Front Seat To Floor Height	18" to 20"	17.5" to 20.5"
Seating Frame Options	Rehab	Rehab
Power Seating Options	N/A	Tilt

Power Suspension Technologies

Option availability varies by chair and model. Please see order form for detailed configuration information.

Linked Suspension

Both the Quickie Pulse 6 and the Quickie QM-710 utilize a linked suspension system that links the front casters to the rear casters.

When the front caster lifts, the linkage releases the rear casters so they can lift as well. This dual lift places the drive wheel in a lower position relative to the casters, which helps prevent high centering.



Increased Contact

All 6 wheels on the Quickie QM-710 and the Quickie Pulse feature independent suspension. As a result, each wheel stays in contact with the ground more often. This helps create a smoother driving experience.

Anti-Pitching

The Quickie QM-710 and the Quickie Pulse utilize an anti-pitching mechanism that prevents the front casters from collapsing when descending off steps, curbs or ramps. These mechanism help reduce tonal responses, user displacement, and general agitation associated with forward pitching.

Power Seating Options

Option availability varies by chair and model. Please see order form for detailed configuration information.

SPOT (Single Power Option) Tilt

- 50° Power CG Tilt
- Available with standard electronics or expandable, dual-toggle or thru-drive, specialty controls and a wide reange of seating and positioning options
- Available with ASAP II, Traditional Seat Frame and Power Recline
- Can be combined with elevate, recline or elevate and recline

Power Recline

- Powered shear reduction
- Available with expandable electronics
- Wide range of positioning, specialty controls and ventilator options
- Low seat-to-floor options with or without SPOT tilt
- Can be combined with tilt, elevate or both
- Available on QM-7 Series, S-636, and S-646

Power Seat Elevate

- 9" of travel height
- Module adds 3" of seat-to-floor height
- Can be combined with tilt, recline, or tilt and recline

Seat Frame Options

Option availability varies by chair and model. Please see order form for detailed configuration information.

ASAP II

Flexible rehab seat that does not require additional parts for adjsutments or changes in dimension.

Intuitive and field accessible adjustments

Standard with width adjustable upholstery. Other back options available.

- 12" to 22" seat width and depth adjustment
- 85° to 135° manual recline backrest
- 1" of hanger depth adjustment
- 7" to 9" and 9" to 12" of armrest height adjustment
- 12" to 16" of armpad depth adjustment

Power Recline Seat

- Power sheer reduction provides the ability to adjust the amount of anti-sheer needed thru simple programming in the field.
- Recline pivot closely matches human hip joint to reduce sheer and improve ergonomics

Captain's Seat

- Fully adjustable seat depth, legrest placement, and armrest width
- Convertible seat pan for flexibility in positioning solutions
- Sleek, comfortable style
- Semi-recline and fold-down backrest
- Available with mounted crutch, walker or O2 holder

Back Upholstery Options

QUICKIE® Tension Adjustable Upholstery

- Available with Ballistic Nylon or 3DX Microclimatic fabric
- 1" width adjustment

SPOT Curved Back

- Solid Support
- Optional preassembled Whitmyer headrests
- Optional AES positioning components

JAY® J3 Backrest

- Two-point or four-point quick-release hardware
- Range of back heights and contours to meet user needs
- Can mount Whitmyer headrests or lateral positioning supports

SPO Backrest

- JAY or ART SPO Backrests are designed for the unique needs of a client in power tilt.
- Provides postural management in a package that can be customized in the field.
- Shape, height, width and thickness of the foam customizable by user.
- ART SPO Back offers custom shapes: i-back, scapular cut-out and custom rectangular.

Base Options & Accessories

Option availability varies by chair and model. Please see order form for detailed configuration information.


Knobby Drive Wheels


4-Point Transit Tie-Downs


Articulating Vent Tray


Fixed Vent Tray

Gp 24 Batteries with Std Posts

Gp 24 Batteries with Flat Tops

22NF Batteries with Std Posts

22NF Batteries with Flat Tops

8A Dual Mode (Off-Board) CTE


Tuffak Tray Table

Black Utility Backpack

Black/Charcoal Kid's Backpack

Auto Style Buckle

Belt 2" Aircraft Buckle

Belt 2" Aircraft Buckle Padded


O2 Holder

Crutch Holder

Walker Holder

Armrests

Option availability varies by chair and model. Please see order form for detailed configuration information.

Dual Post Flip Back
Height Adjustable

Flip Back

Standard Cantilever with 2 Point
Locking Post

Standard Cantilever

Low Cantilever

Standard Single Post

Reclining Standard Height

Armpads

Waterfall Armpad

Standard Armpad

Reclining Armpad

Otto Bock Reclining Armpad

Otto Bock Flat Hand Pad

Positioning Options

Whitmyer Linx Head Support

Lateral Thoracic Supports

Long Thigh Support
with mesh pocket

Swing-Away Knee Adductor

Chest Strap

Legrests

Option availability varies by chair and model. Please see order form for detailed configuration information.

65° Swing-Away

70° Swing-Away

75° Tapered Swing-Away

90° Swing-Away

Manual ELR Swing-Away

Fixed Center Mount

Centermount Power ELR with Articulation



Swing Away Power ELR with Articuation

Footplates

Composite with Heel Loop



Adult Angle Adjust with Heel Loop

Kids Angle Adjust with Leg Strap



Aluminum

One Piece Angle Adjust Footplate

Centermount Single Footplate

Centermount Dual Footplate

Centermount High Mnt Footplate

Electronics

Option availability varies by chair and model. Please see order form for detailed configuration information.

Drive Controls

VR2 Non-Expandable Controller


R-net Expandable Controller

R-net Environmental Control Output Module (ECM)

R-net Bluetooth Mousemover

Joysticks

Non-expandable VR-2 Joystick

R-net Expandable LED Joystick

Monochrome Joystick

Joystick w/Toggle, Speed Potentiometer, Stereo Jacks & Color Display

R-net OMNI Input Control Module

Joystick Mounts

Fixed

Swing-Away

Attendant Controls

VR-2

R-net

Joystick Handles


Ball

Foam Ball

T-Handle

Goalpost

Programmers

VR-2 Hand Held Programmer

R-net PC Programmer

DTT VR2 and R-net

Switch Inputs for Joysticks or Omni

Ribbon Switch

Buddy Button Switch

Disc Switch

Wobble Switch

Micro Light Switch

Egg Switch– Black

Stereo to 2 Mono Splitter

Specialty Drive Control Options

Quickie Sip n Puff

ASL Head Array (adult or pediatric)

Switch-It Head Array (adult or pediatric)

ASL Mini Proportional Joystick
Chin/Lip Package

ASL Proportional Mini Joystick Midline
with Gatlin Package

Quickie Proportional Chin Control

Product Customizations

built4me

www.built4me.us

The Quickie Built-4-Me group is dedicated to providing individual design solutions not available through our customary production channels. Built-4-Me will listen to your specific requests for Quickie products, then design and manufacture the product to meet the individual's custom needs or cosmetic desires.

Featured Power Chair Customizations

- Ultra Low STFH on QM-710
- 24" Seat width on QM-715 HD
- Captain's Seat on QM-710

JAY® Seating Selection

JAY® Cushions

Basic
E2601, E2602



Go
E2603, E2604



Soft Combi P
E2605, E2606

Care
E2607, E2608

Ion
E2607, E2608

Xtreme
E2603

Easy
E2607, E2608

Union
E2307, E2608

J2
E2622, E2623, E2624, E2625

Fusion
E2622, E2623

J3
E2622, E2623, E2624, E2625

JAY® Backs

Basic
E2611

Go
E2611, E2612

Care
E2615

Focus Point
E2620

J3 Posterior
E2613, E2614

J3 Posterior & Lateral
E2615

J3 Posterior Deep
E2620

SUNRISE MEDICAL

Customer Service: 800.333.4000
www.SunriseMedical.com

©11.2012 Sunrise Medical (US) LLC
122157 Rev. B